

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/722,630	· 11/26/2003	Brent Roberts	717841.5	7332	
27128 7	7590 12/01/2006		EXAM	EXAMINER	
BLACKWEL	L SANDERS PEPER M	LEE, JINHEE J			
720 OLIVE ST SUITE 2400	reet .		ART UNIT	PAPER NUMBER	
	ST. LOUIS, MO 63101			2174	
			DATE MAILED: 12/01/2004	4	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
	10/722,630	ROBERTS ET AL.			
Office Action Summary	Examiner	Art Unit			
·	Jinhee J. Lee	2174			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period versillure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be timulated and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	l. ely filed the mailing date of this communication. 0 (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 2a) This action is FINAL . 2b) This 3) Since this application is in condition for allower closed in accordance with the practice under E	action is non-final.				
Disposition of Claims					
4) Claim(s) 1-18 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) Claim(s) is/are allowed. 6) Claim(s) 1-18 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/o Application Papers 9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) according and according according and according according and according and according	wn from consideration. r election requirement. r. epted or b) objected to by the lidrawing(s) be held in abeyance. Section is required if the drawing(s) is objected.	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage			
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 0304.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate			

Application/Control Number: 10/722,630 Page 2

Art Unit: 2174

DETAILED ACTION

Claim Objections

1. Claim 18 is objected to under 37 CFR 1.75(c), as being of improper dependent form for failing to further limit the subject matter of a previous claim. Applicant is required to cancel the claim(s), or amend the claim(s) to place the claim(s) in proper dependent form, or rewrite the claim(s) in independent form. All of the limitations recited in claim 18 can be found in claim 17.

Claim Rejections - 35 USC § 101

2. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

3. Claims 1-18 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.

Re claims 1-18, claims 1-18 claims a data structure, however, it appears the limitations of said claim are merely claiming statements defining various items, therefore said limitations do not appear to be defining any functional interrelations which permits the computer program's functionality (or data structure's functionality) to be realized.

In view of the above, claims 1-18 are therefore directed to non-statutory subject matter.

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

Art Unit: 2174

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

5. Claims 1-18 are rejected under 35 U.S.C. 102(b) as being anticipated by Sanderson (20020101448).

Re claim 1, Sanderson discloses an integrated system of frameworks and data repositories for generating a graphical user interface in a client-server environment comprising: a user interface (UI) repository (data factory 210 for example) residing in a database accessible to a client server network environment, where said UI repository, contains a UI element (data element 208 for example), which defines data element attributes including data type, how to display data and labels (see figure 2 for example); a screen repository (specification 209 for example) residing in the database accessible to the client-server network environment, where said screen repository includes screen attributes, which defines the hierarchical navigational tree structure of screens for an graphical user interface (GUI) application and further defines what screen will be constructed and defines a GUI component of the screen; a data binding framework (content factory 213 for example) operable to bind data to the UI element and the GUI component (inherent in order to display); a (GUI) framework (controller 201c for example) operably residing at a client in the client-server network environment, where said (GUI) framework is operable to control how data is handled and processed within the GUI component of the GUI application including binding data to the GUI component utilizing the data binding framework; and a navigation framework (view 201b, model 201a for example) operably residing at the client, where said navigation framework

Art Unit: 2174

controls generating and displaying of the screens within an application and further builds a navigation tree structure based on the screen attributes (see figure 2 for example).

Re claim 2, Sanderson discloses an integrated system of frameworks and data repositories for generating a graphical user interface, further comprising: a security framework (using 442 for example, inherent) operable to communicate information to the navigation framework causing the navigation framework to selectively deny a user access to screens by not providing the user with selections that would navigate to the screen (see figure 4b).

Re claim 3, Sanderson discloses an integrated system of frameworks and data repositories for generating a graphical user interface, further comprising: a verification framework (validator 211 for example) operable to apply business rules to data contained in a data set and determine if the data is in error and if in error the verification framework communicates with the GUI component to display an error message.

Re claim 4, Sanderson discloses an integrated system of frameworks and data repositories for generating a graphical user interface in a client-server environment comprising: a graphical user interface (GUI) framework (201c for example) operably residing at a client in a client-server network environment, where said GUI framework is operable to control how data is handled and processed within a GUI component of a GUI application including binding data to the GUI component utilizing a data binding framework; a collection of integrated repositories (210 for example) relationally inter referenced by elements within their respective attribute tables operable for accessing

Art Unit: 2174

and integrating all attribute elements relating to generating a graphical user interface; a collection of executable object oriented routines (209 for example) operable to manipulate the GUI framework; a collection of XML files (content 207 for example) operable to access and export data from the repositories at run time for use by the GUI application; an XML layout manager (format 212 for example) operable to define the screen layout from the collection of XML files; and a navigation framework operably residing at the client, where said navigation framework (view 201b for example) controls generating and displaying of screens within the GUI application based upon the XML lay out manager and the repository attributes accessed and exported by the collection of XML files and further builds the navigation tree structure based on the repository attributes.

Re claim 5, Sanderson discloses an integrated system of frameworks and data repositories for generating a graphical user interface, further comprising: a security framework (using 442, inherent) operable to communicate information to the navigation framework causing the navigation framework to selectively deny a user access to screens by not providing the user with selections that would navigate to the screen (see figure 4b).

Re claim 6, Sanderson discloses an integrated system of frameworks and data repositories for generating a graphical user interface, further comprising: a verification framework (validator 211 for example) operable to apply business rules to data contained in a data set and determine if the data is in error and if in error the verification framework communicates with the GUI component to display an error message.

Art Unit: 2174

Re claim 7, Sanderson discloses an integrated system of frameworks and data repositories for generating a graphical user interface in a client-server environment comprising: a screen repository (209 for example) residing in the database accessible by a client-server network environment, where said screen repository includes screen attributes, which defines the hierarchical navigational tree structure of screens for an graphical user interface (GUI) application and further defines what screen will be constructed and defines a GUI components of the screen; a user interface (UI) repository (210 for example) residing in a database accessible to the client server network environment, where said UI repository, contains a UI element, which defines data element attributes including data type, how to display data and labels; and a data binding framework (213 for example) operable to bind data to the UI element and the GUI component based on the data type defined in the UI repository.

Re claim 8, Sanderson discloses an integrated system of frameworks and data repositories for generating a graphical user interface, further comprising: a security framework (using 442, inherent) operable to communicate information to the navigation framework causing the navigation framework to selectively deny a user access to screens by not providing the user with selections that would navigate to the screen (see figure 4b for example).

Re claim 9, Sanderson discloses an integrated system of frameworks and data repositories for generating a graphical user interface, further comprising: a verification framework (211 for example) operable to apply business rules to data contained in a

Art Unit: 2174

data set and determine if the data is in error and if in error the verification framework communicates with the GUI component to display an error message.

Re claim 10, Sanderson discloses an integrated system tool comprising: an administrative computing tool including, a navigation tool (201b for example) for building a navigation framework adapted to control the generation of screens for a graphical user interface (GUI) application and further adapted to define the hierarchical relationship of the screens, a screen repository tool (209 for example) operable to build a repository of screen attributes to establish a hierarchical screen navigation structure and a corresponding Java class construct to be executed and a GUI component, a user interface repository tool (210 for example) operable to build a user interface repository having user interface attribute tables of user interface elements corresponding to the GUI component, and a data binding framework tool (213 for example) operable to build a data binding framework operable to bind data from an appropriate data set to the user interface element and the GUI component.

Re claim 11, Sanderson discloses an integrated system tool, where the administrator computing tool further comprises: a security framework tool (using 442 for example) operable to build a security framework operable to communicate information to the navigation framework causing the navigation framework to selectively deny a user access to screens by not providing the user with selections that would navigate to the screen (see figure 4b).

Re claim 12, Sanderson discloses an integrated system tool, where the administrator computing tool further comprises: a verification framework tool (211 for

Art Unit: 2174

example) operable to build a verification framework operable to apply business rules to data contained in a data set and determine if the data is in error and if in error the verification framework communicates with the GUI component to display an error message.

Re claim 13, Sanderson discloses a method of generating a graphical user interface utilizing an integrated system of frameworks and data repositories comprising the steps of: Receiving a screen (201d to 207 for example) request to a graphical user interface (GUI) application based on a user input; Accessing and constructing (from 201b to 201a for example) a basic screen and screen attributes from a screen repository corresponding to the user input as determined by a navigation framework; Binding GUI components (create instance in 210 for example) defined by the screen attributes with user interface elements from a UI repository based on the attributes defined in the UI repository (see figure 2 for example); Binding data to the GUI components and UI elements (format 212 for example); and Displaying the screen (201b to 201a for example).

Re claim 14, Sanderson discloses a method of generating a graphical user interface, further comprising: filtering a screen (with 442 for example) with a security framework operable to communicate information to the navigation framework causing the navigation framework to selectively deny a user access to screens by not providing the user with selections that would navigate to the screen.

Art Unit: 2174

15. The method of generating a graphical user interface as recited in claim 13, further comprising: displaying an error message (using 211 for example) with a verification framework operable to apply business rules to data contained in a data set and determine if the data is in error and if in error the verification framework communicates with the GUI component to display an error message.

Re claim 16, Sanderson discloses a method for building an integrated system of frameworks and data repositories for generating a graphical user interface comprising the steps of: building a graphical user interface (GUI) framework (201c for example) operable to reside at a client in a client-server network environment, where said GUI framework is operable to control how data is handled and processed within a GUI component of a GUI application including binding data to the GUI component utilizing a data binding framework; and building a collection (with 210 for example) of integrated repositories to be relationally inter referenced by elements within their respective attribute tables operable for accessing and integrating all attribute elements relating to generating a graphical user interface.

Re claims 17 and 18, Sanderson discloses a method for building an integrated system further comprising the steps of: building a verification framework (with 211 for example) operable to apply business rules to data contained in a data set and determine if the data is in error and if in error the verification framework communicates with the GUI component to display an error message.

Art Unit: 2174

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jinhee J. Lee whose telephone number is 571-272-1977. The examiner can normally be reached on M- F at 8:30AM-5PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kristine Kincaid can be reached on 571-272-2100 ext. 74. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Jinhee J Lee Primary Examiner Art Unit 2174

ijΙ